

3000 TONS IN STOCK

Duplex UNS S31803 (1.4462 - X2CrNiMoN22.5.3 - F51 – UNS S32205 – F60)

Super Duplex UNS S32760 (1.4501 - X2CrNiMoCuWN25.7.4 - F55)

Super Duplex UNS S32750 (1.4410 - X2CrNiMoN25.7.4 – F53)

Austenitic UNS S20910 (XM-19–X2CrNiMnMoNb 21.16.5.3.-Nitronic 50®- 1.3964)

Super Austenitic UNS S31254 (1.4547- X1CrNiMoCuN20.18.7-F44- 254SMO)

Super Austenitic UNS N08904 (904L - 1.4539 - X1NiCrMoCu25.20.5)

17-4PH AISI 630 UNS S17400 (1.4542)

Alloy 625 UNS N06625 (2.4856)

Alloy 718 UNS N07718 (2.4668)

Alloy 825 UNS N08825 (2.4858)

CERTIFICATION: ASTM – EN – NORSOK – NACE – WN – PED - API 6A

TEST ON REQUEST: X-RAY, DP, PMI, ULTRASONIC, CORROSION, IMPACT

ROUND BARS – PLATES

Western Europe material only

All materials offered:

- In commercial and not commercial sizes, according to customer's specifications, on special order from Mill, at special price and delivery conditions.
- Cut to required dimensions or according to drawing by waterjet, high definition plasma or 3d fiber laser
- Flanges, fittings and pieces acc. to drawing, even welded and machined

For more information do not hesitate to contact us:

Phone : + 39 - 0445-579826 Fax +39 - 0445-576293

E-mail : info@specialsteelstock.com – sales@specialsteelstock.com

www.specialsteelstock.com

ROUND BARS

DUPLEX UNS S31803 – 1.4462 – X2CrNiMoN22.5.3 – F51 – UNS S32205 – F60

Ø 12 mm	Ø 55 mm	Ø 115,3 mm	Ø 165 mm	Ø 230 mm	Ø 290 mm	Ø 355 mm	Ø 430 mm
Ø 16 mm	Ø 60 mm	Ø 120 mm	Ø 170 mm	Ø 231 mm	Ø 295 mm	Ø 360 mm	Ø 435 mm
Ø 20 mm	Ø 65 mm	Ø 120,65 mm	Ø 175 mm	Ø 235 mm	Ø 300 mm	Ø 365 mm	Ø 440 mm
Ø 25 mm	Ø 70 mm	Ø 125 mm	Ø 180 mm	Ø 240 mm	Ø 305 mm	Ø 370 mm	Ø 450 mm
Ø 30 mm	Ø 75 mm	Ø 125 mm	Ø 185 mm	Ø 245 mm	Ø 310 mm	Ø 380 mm	Ø 460 mm
Ø 35 mm	Ø 80 mm	Ø 130 mm	Ø 190 mm	Ø 250 mm	Ø 315 mm	Ø 390 mm	Ø 470 mm
Ø 38 mm	Ø 85 mm	Ø 135 mm	Ø 195 mm	Ø 255 mm	Ø 320 mm	Ø 395 mm	Ø 475 mm
Ø 40 mm	Ø 90 mm	Ø 140 mm	Ø 200 mm	Ø 256 mm	Ø 325 mm	Ø 400 mm	Ø 480 mm
Ø 45 mm	Ø 95 mm	Ø 145 mm	Ø 205 mm	Ø 260 mm	Ø 330 mm	Ø 405 mm	Ø 500 mm
Ø 47,62 mm	Ø 100 mm	Ø 150 mm	Ø 210 mm	Ø 265 mm	Ø 335 mm	Ø 410 mm	Ø 525 mm
Ø 50 mm	Ø 105 mm	Ø 152,4 mm	Ø 215 mm	Ø 270 mm	Ø 340 mm	Ø 415 mm	Ø 535 mm
Ø 50,8 mm	Ø 110 mm	Ø 155 mm	Ø 220 mm	Ø 275 mm	Ø 345 mm	Ø 420 mm	Ø 550 mm
Ø 51,56 mm	Ø 115 mm	Ø 160 mm	Ø 225 mm	Ø 280 mm	Ø 350 mm	Ø 425 mm	Ø 580 mm

SUPERDUPLEX UNS S32760 – 1.4501 – X2CrNiMoCuWN25.7.4 – F55

Ø 12,7 mm	Ø 45 mm	Ø 90 mm	Ø 150 mm	Ø 220 mm	Ø 290 mm	Ø 360 mm	Ø 450 mm
Ø 15,88 mm	Ø 50 mm	Ø 95 mm	Ø 155 mm	Ø 225 mm	Ø 295 mm	Ø 370 mm	Ø 465 mm
Ø 16 mm	Ø 55 mm	Ø 100 mm	Ø 160 mm	Ø 230 mm	Ø 300 mm	Ø 375 mm	Ø 475 mm
Ø 18 mm	Ø 60 mm	Ø 101,6 mm	Ø 165 mm	Ø 235 mm	Ø 305 mm	Ø 380 mm	Ø 480 mm
Ø 20 mm	Ø 60,32 mm	Ø 105 mm	Ø 170 mm	Ø 240 mm	Ø 310 mm	Ø 385 mm	Ø 500 mm
Ø 22 mm	Ø 65 mm	Ø 110 mm	Ø 175 mm	Ø 245 mm	Ø 315 mm	Ø 390 mm	Ø 520 mm
Ø 25 mm	Ø 69,85 mm	Ø 115 mm	Ø 180 mm	Ø 250 mm	Ø 320 mm	Ø 400 mm	Ø 530 mm
Ø 25,4 mm	Ø 70 mm	Ø 120 mm	Ø 185 mm	Ø 255 mm	Ø 325 mm	Ø 405 mm	Ø 540 mm
Ø 30 mm	Ø 75 mm	Ø 120,3 mm	Ø 190 mm	Ø 260 mm	Ø 330 mm	Ø 410 mm	Ø 560 mm
Ø 34,92 mm	Ø 76,2 mm	Ø 125 mm	Ø 195 mm	Ø 265 mm	Ø 335 mm	Ø 420 mm	Ø 570 mm
Ø 35 mm	Ø 80 mm	Ø 130 mm	Ø 200 mm	Ø 270 mm	Ø 340 mm	Ø 427 mm	Ø 580 mm
Ø 40 mm	Ø 85 mm	Ø 135 mm	Ø 210 mm	Ø 280 mm	Ø 345 mm	Ø 430 mm	
Ø 44,5 mm	Ø 88,9 mm	Ø 140 mm	Ø 215 mm	Ø 285 mm	Ø 350 mm	Ø 440 mm	

SUPERDUPLEX UNS S32750 – 1.4410 – X2CrNiMoN25.7.4 – F53

Ø 16 mm	Ø 50 mm	Ø 85 mm	Ø 125 mm	Ø 170 mm	Ø 230 mm	Ø 280 mm	Ø 375 mm
Ø 20 mm	Ø 55 mm	Ø 90 mm	Ø 130 mm	Ø 175 mm	Ø 235 mm	Ø 285 mm	Ø 400 mm
Ø 25,4 mm	Ø 60 mm	Ø 95,25 mm	Ø 140 mm	Ø 180 mm	Ø 240 mm	Ø 290 mm	Ø 425 mm
Ø 30 mm	Ø 65 mm	Ø 100 mm	Ø 150 mm	Ø 190 mm	Ø 250 mm	Ø 300 mm	Ø 450 mm
Ø 34,93 mm	Ø 70 mm	Ø 110 mm	Ø 155 mm	Ø 200 mm	Ø 262 mm	Ø 315 mm	Ø 470 mm
Ø 40 mm	Ø 75 mm	Ø 115 mm	Ø 160 mm	Ø 210 mm	Ø 270 mm	Ø 325 mm	Ø 500 mm
Ø 44,45 mm	Ø 80 mm	Ø 120,65 mm	Ø 165 mm	Ø 220 mm	Ø 275 mm	Ø 350 mm	

AUSTENITIC UNS S20910–XM-19– X2CrNiMnMoNNb21.16.5.3-Nitronic 50®

Ø 15,88 mm	Ø 45 mm	Ø 80 mm	Ø 110 mm	Ø 150 mm	Ø 190 mm	Ø 240 mm	Ø 400 mm
Ø 20 mm	Ø 50 mm	Ø 85 mm	Ø 115 mm	Ø 160 mm	Ø 200 mm	Ø 250 mm	
Ø 20,3 mm	Ø 55 mm	Ø 90 mm	Ø 120 mm	Ø 165 mm	Ø 210 mm	Ø 275 mm	
Ø 25 mm	Ø 60 mm	Ø 95 mm	Ø 125 mm	Ø 170 mm	Ø 215 mm	Ø 300 mm	
Ø 30 mm	Ø 65 mm	Ø 95,25 mm	Ø 130 mm	Ø 175 mm	Ø 220 mm	Ø 335 mm	
Ø 35 mm	Ø 70 mm	Ø 100 mm	Ø 140 mm	Ø 180 mm	Ø 230 mm	Ø 350 mm	
Ø 40 mm	Ø 75 mm	Ø 105 mm	Ø 145 mm	Ø 185 mm	Ø 235 mm	Ø 375 mm	

ROUND BARS

SUPER AUSTENITIC UNS S31254-1.4547-X1CrNiMoCuN20.18.7-F44-254Smo-6Moly

Ø 12,7 mm	Ø 45 mm	Ø 80 mm	Ø 130 mm	Ø 180 mm	Ø 225 mm	Ø 280 mm	Ø 400 mm
Ø 16 mm	Ø 50 mm	Ø 85 mm	Ø 140 mm	Ø 185 mm	Ø 230 mm	Ø 300 mm	
Ø 20 mm	Ø 55 mm	Ø 90 mm	Ø 150 mm	Ø 190 mm	Ø 240 mm	Ø 315 mm	
Ø 25 mm	Ø 60 mm	Ø 100 mm	Ø 160 mm	Ø 200 mm	Ø 250 mm	Ø 325 mm	
Ø 30 mm	Ø 65 mm	Ø 110 mm	Ø 165 mm	Ø 210 mm	Ø 260 mm	Ø 335 mm	
Ø 35 mm	Ø 70 mm	Ø 115 mm	Ø 170 mm	Ø 215 mm	Ø 262 mm	Ø 350 mm	
Ø 40 mm	Ø 75 mm	Ø 120 mm	Ø 175 mm	Ø 220 mm	Ø 275 mm	Ø 375 mm	

SUPER AUSTENITIC 904L - UNS N08904 - 1.4539 - X1NiCrMoCu25.20.5

Ø 20mm	Ø 45 mm	Ø 70 mm	Ø 95 mm	Ø 140 mm	Ø 190 mm	Ø 250 mm	Ø 400 mm
Ø 25 mm	Ø 50 mm	Ø 75 mm	Ø 100 mm	Ø 150 mm	Ø 200 mm	Ø 260 mm	
Ø 30 mm	Ø 55 mm	Ø 80 mm	Ø 110 mm	Ø 160 mm	Ø 203 mm	Ø 300 mm	
Ø 35 mm	Ø 60 mm	Ø 85 mm	Ø 120 mm	Ø 170 mm	Ø 210 mm	Ø 325 mm	
Ø 40 mm	Ø 65 mm	Ø 90 mm	Ø 130 mm	Ø 180 mm	Ø 230 mm	Ø 350 mm	

17-4PH H1150D UNS S17400 - 1.4542 AISI 630

Ø 25,7 mm	Ø 50,8 mm	Ø 76,2 mm	Ø 90,68 mm	Ø 110 mm	Ø 139,70 mm	Ø 160 mm	Ø 210 mm
Ø 31,75 mm	Ø 51,56 mm	Ø 77,98 mm	Ø 92 mm	Ø 114,3 mm	Ø 141,74 mm	Ø 170 mm	Ø 254 mm
Ø 41,28 mm	Ø 58,93 mm	Ø 82,55 mm	Ø 100 mm	Ø 116,34 mm	Ø 141,99 mm	Ø 180 mm	Ø 280 mm
Ø 44,45 mm	Ø 69,85 mm	Ø 85 mm	Ø 101,6 mm	Ø 120,65 mm	Ø 150 mm	Ø 190 mm	Ø 364 mm
Ø 47,63 mm	Ø 70,61 mm	Ø 88,9 mm	Ø 107,95 mm	Ø 129,29 mm	Ø 152,4 mm	Ø 200 mm	

ALLOY 625 UNS N06625 - 2.4856

Ø 12,7 mm	Ø 35 mm	Ø 57 mm	Ø 90 mm	Ø 130 mm	Ø 175 mm	Ø 215 mm	Ø 275 mm
Ø 15,88 mm	Ø 38,1 mm	Ø 60 mm	Ø 95 mm	Ø 135 mm	Ø 180 mm	Ø 220 mm	Ø 290 mm
Ø 18 mm	Ø 40 mm	Ø 63,5 mm	Ø 100 mm	Ø 140 mm	Ø 185 mm	Ø 225 mm	Ø 300 mm
Ø 19,05 mm	Ø 44,45 mm	Ø 65 mm	Ø 105 mm	Ø 145 mm	Ø 190 mm	Ø 230 mm	Ø 320 mm
Ø 20 mm	Ø 45 mm	Ø 70 mm	Ø 110 mm	Ø 150 mm	Ø 192 mm	Ø 235 mm	Ø 325 mm
Ø 22 mm	Ø 50 mm	Ø 75 mm	Ø 115 mm	Ø 155 mm	Ø 195 mm	Ø 240 mm	Ø 350 mm
Ø 25,4 mm	Ø 50,35 mm	Ø 80 mm	Ø 120 mm	Ø 160 mm	Ø 200 mm	Ø 250 mm	Ø 375 mm
Ø 28,57 mm	Ø 50,80 mm	Ø 83 mm	Ø 120,65 mm	Ø 165 mm	Ø 205 mm	Ø 260 mm	Ø 400 mm
Ø 30 mm	Ø 55 mm	Ø 85 mm	Ø 127 mm	Ø 170 mm	Ø 210 mm	Ø 262 mm	

ALLOY 718 UNS N07718 - 2.4668

Ø 12,7 mm	Ø 38,1 mm	Ø 60 mm	Ø 100 mm	Ø 140 mm	Ø 170 mm	Ø 203 mm	Ø 280 mm
Ø 15,88 mm	Ø 40 mm	Ø 63,5 mm	Ø 107,95 mm	Ø 145 mm	Ø 175 mm	Ø 215 mm	Ø 300 mm
Ø 19,05 mm	Ø 44,45 mm	Ø 70 mm	Ø 114,3 mm	Ø 150 mm	Ø 180 mm	Ø 225 mm	Ø 350 mm
Ø 22 mm	Ø 45 mm	Ø 80 mm	Ø 120,65 mm	Ø 152,4 mm	Ø 185 mm	Ø 235 mm	
Ø 25 mm	Ø 50 mm	Ø 85 mm	Ø 130 mm	Ø 155 mm	Ø 190 mm	Ø 250 mm	
Ø 30 mm	Ø 50,8 mm	Ø 90 mm	Ø 133,35 mm	Ø 160 mm	Ø 195 mm	Ø 260 mm	
Ø 35 mm	Ø 57,15 mm	Ø 95,25 mm	Ø 135 mm	Ø 165 mm	Ø 200 mm	Ø 265 mm	

ALLOY 825 UNS N08825 - 2.4858

Ø 12 mm	Ø 40 mm	Ø 80 mm	Ø 120 mm	Ø 150 mm	Ø 190 mm	Ø 275 mm	
Ø 20 mm	Ø 50 mm	Ø 90 mm	Ø 130 mm	Ø 160 mm	Ø 200 mm	Ø 300 mm	
Ø 30 mm	Ø 60 mm	Ø 100 mm	Ø 140 mm	Ø 170 mm	Ø 225 mm	Ø 330 mm	
Ø 35 mm	Ø 70 mm	Ø 110 mm	Ø 145 mm	Ø 180 mm	Ø 250 mm		

PLATES

DUPLEX UNS S31803 – 1.4462 – X2CrNiMoN22.5.3 – UNS S32205

Thk. 2 mm	Thk. 6 mm	Thk. 12 mm	Thk. 20 mm	Thk. 30 mm	Thk. 45 mm	Thk. 65 mm	Thk. 85 mm
Thk. 3 mm	Thk. 8 mm	Thk. 12,7 mm	Thk. 22,5 mm	Thk. 35 mm	Thk. 50 mm	Thk. 70 mm	Thk. 90 mm
Thk. 4 mm	Thk. 9,52 mm	Thk. 15 mm	Thk. 25 mm	Thk. 37,5 mm	Thk. 55 mm	Thk. 75 mm	Thk. 95 mm
Thk. 5 mm	Thk. 10 mm	Thk. 17,5 mm	Thk. 27,5 mm	Thk. 40 mm	Thk. 60 mm	Thk. 80 mm	Thk. 100 mm

SUPERDUPLEX UNS S32760 – 1.4501 – X2CrNiMoCuWN25.7.4

Thk. 2 mm	Thk. 6 mm	Thk. 12,7 mm	Thk. 20 mm	Thk. 30 mm	Thk. 45 mm	Thk. 65 mm	Thk. 85 mm
Thk. 3 mm	Thk. 8 mm	Thk. 13 mm	Thk. 22,5 mm	Thk. 35 mm	Thk. 50 mm	Thk. 70 mm	Thk. 90 mm
Thk. 4 mm	Thk. 9,52 mm	Thk. 15 mm	Thk. 25 mm	Thk. 37,5 mm	Thk. 55 mm	Thk. 75 mm	Thk. 100 mm
Thk. 5 mm	Thk. 12 mm	Thk. 17,5 mm	Thk. 27,5 mm	Thk. 40 mm	Thk. 60 mm	Thk. 80 mm	

SUPERDUPLEX UNS S32750 – 1.4410 – X2CrNiMoN25.7.4

Thk. 8 mm	Thk. 9,52 mm	Thk. 12 mm	Thk. 13 mm	Thk. 15 mm	Thk. 20 mm		
-----------	--------------	------------	------------	------------	------------	--	--

SUPER AUSTENITIC UNS S31254–1.4547-X1CrNiMoCuN20.18.7-254Smo-6Moly

Thk. 2 mm	Thk. 6 mm	Thk. 13 mm	Thk. 20 mm	Thk. 27,5 mm	Thk. 37,5 mm	Thk. 55 mm	Thk. 80 mm
Thk. 3 mm	Thk. 8 mm	Thk. 15 mm	Thk. 22,5 mm	Thk. 30 mm	Thk. 40 mm	Thk. 60 mm	
Thk. 4 mm	Thk. 9,52 mm	Thk. 17,5 mm	Thk. 24,5 mm	Thk. 34 mm	Thk. 45 mm	Thk. 65 mm	
Thk. 5 mm	Thk. 12 mm	Thk. 18 mm	Thk. 25 mm	Thk. 35 mm	Thk. 50 mm	Thk. 70 mm	

SUPER AUSTENITIC 904L - UNS N08904 – 1.4539 – X1NiCrMoCu25.20.5

Thk. 2 mm	Thk. 5 mm	Thk. 9,52 mm	Thk. 12,7 mm	Thk. 17,5 mm	Thk. 25 mm	Thk. 35 mm	Thk. 50 mm
Thk. 3 mm	Thk. 6 mm	Thk. 10 mm	Thk. 14,5 mm	Thk. 20 mm	Thk. 27,5 mm	Thk. 40 mm	Thk. 65 mm
Thk. 4 mm	Thk. 8 mm	Thk. 12 mm	Thk. 15 mm	Thk. 22,5 mm	Thk. 30 mm	Thk. 48 mm	

ALLOY 625 UNS N06625 – 2.4856

Thk. 5 mm	Thk. 6 mm	Thk. 8 mm	Thk. 10 mm	Thk. 15 mm	Thk. 20 mm	Thk. 25 mm	Thk. 30 mm
Thk. 35 mm	Thk. 40 mm	Thk. 45 mm	Thk. 50 mm	Thk. 55 mm	Thk. 60 mm		

MATERIAL ON REQUEST

WELDED TUBES

Calendered, calibrated and radiographed. Taken from plate. All dimensions on request also according to ASTM A790 (min. thk. 3 mm – min. Ø 88,3 mm).

WELDED ELBOWS

Welded from plate up to 20" (Ø 508 mm), also according to ASTM A815 and A403.

FLANGES

Flanges and fittings in the stocked grades (see cover)